

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010
Issue date: 11/05/2018 Revision date: 11/05/2018 Supersedes version of: 05/06/2017 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : EDELPLAFOND NTW
Product code : 003STNTW
Type of product : PAINT
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|---|---|------------------|---------|
| United Kingdom | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit | Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle | 0344 892 0111 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|------------------------|--|
| Kieselguhr, soda ash flux-calcined | (CAS-No.) 68855-54-9 (EC-No.) 272-489-0 (REACH-no) 01-2119488518-22 | 1 – 5 | Acute Tox. Not classified (Inhalation:dust,mist) STOT RE 2, H373 |
| Titanium dioxide | (CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-002 (REACH-no) 01-2119489379-17 | 0,0462 – 0,6514 | Carc. 2, H351 |
| 1,2-benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6 | < 0,032406815 | Acute Tox. 4 (Oral), H302 (ATE=597 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | (CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48 | < 0,000898971 46 | Acute Tox. 2 (Inhalation), H330 (ATE=0,33 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=87,12 mg/kg de poids corporel) Acute Tox. 3 (Oral), H301 (ATE=64 mg/kg de poids corporel) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---|--|--|
| 1,2-benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6 | (0,05 ≤C ≤ 100) Skin Sens. 1, H317 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | (CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48 | (0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0,06 ≤C < 0,6) Eye Irrit. 2, H319 (0,06 ≤C < 0,6) Skin Irrit. 2, H315 (0,6 ≤C ≤ 100) Eye Dam. 1, H318 (0,6 ≤C ≤ 100) Skin Corr. 1C, H314 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | |
|--|--|
| Austria - Occupational Exposure Limits | |
| Local name | 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1) |
| MAK (OEL TWA) | 0,05 mg/m ³ |
| Remark (AT) | Sh,H |
| Titanium dioxide (13463-67-7) | |
| Austria - Occupational Exposure Limits | |
| Local name | Titandioxid (Alveolarstaub) |
| MAK (OEL TWA) | 5 mg/m ³ |
| MAK (OEL STEL) | 10 mg/m ³ |
| Belgium - Occupational Exposure Limits | |
| Local name | Titane (dioxyde de) |
| OEL TWA | 10 mg/m ³ |
| Bulgaria - Occupational Exposure Limits | |
| Local name | Титанов диоксид, респирабилен прах |
| OEL TWA | 10 mg/m ³ |
| Croatia - Occupational Exposure Limits | |
| Local name | Titanov dioksid |
| GVI (OEL TWA) [1] | 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust |
| Denmark - Occupational Exposure Limits | |
| Local name | Titandioxid, beregnet som Ti |
| OEL TWA [1] | 6 mg/m ³ |
| Estonia - Occupational Exposure Limits | |
| Local name | Titaanoksiid |
| OEL TWA | 5 mg/m ³ |
| France - Occupational Exposure Limits | |
| Local name | Titane (dioxyde de),en Ti |
| VME (OEL TWA) | 10 mg/m ³ |
| Greece - Occupational Exposure Limits | |
| OEL TWA | 10 mg/m ³ |
| Latvia - Occupational Exposure Limits | |
| Local name | Titānadioksīds |
| OEL TWA | 10 mg/m ³ |
| Lithuania - Occupational Exposure Limits | |
| Local name | Titano dioksidas |
| IPRV (OEL TWA) | 5 mg/m ³ |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| Titanium dioxide (13463-67-7) | |
|--|--|
| Portugal - Occupational Exposure Limits | |
| Local name | Dióxido de titânio |
| OEL TWA | 10 mg/m ³ |
| Spain - Occupational Exposure Limits | |
| Local name | Dióxido de titanio |
| VLA-ED (OEL TWA) [1] | 10 mg/m ³ |
| Sweden - Occupational Exposure Limits | |
| Local name | Titanium dioxide total dust |
| NGV (OEL TWA) [ppm] | 5 ppm |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| WEL TWA (OEL TWA) [1] | 4 mg/m ³ respirable 10 mg/m ³ total inhalable |
| Iceland - Occupational Exposure Limits | |
| Local name | Títandíoxíð, sem Ti |
| OEL TWA | 6 mg/m ³ |
| Norway - Occupational Exposure Limits | |
| Local name | Titandioksid |
| Grenseverdi (OEL TWA) [1] | 5 mg/m ³ |
| Switzerland - Occupational Exposure Limits | |
| Local name | Dioxyde de titane |
| MAK (OEL TWA) [1] | 3 mg/m ³ |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| ACGIH OEL TWA | 1 mg/m ³ |
| Remark (ACGIH) | LRT irr; A3 |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------------------------|
| Physical state | : Liquid |
| Colour | : white. |
| Appearance | : Liquid. |
| Odour | : Not available |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not applicable |
| Explosive limits | : Not available |
| Lower explosive limit (LEL) | : Not available |
| Upper explosive limit (UEL) | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : > 7 (7 – 8) |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : 500 – 2000 cP |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : 1,542 (1,5 – 1,6) g/cm ³ |
| Relative density | : 1,5 – 1,6 |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|----------------------------------|------------------|
| Relative vapour density at 20 °C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : < 15 (10 – 15) g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

1,2-benzisothiazol-3(2H)-one (2634-33-5)

| | |
|--------------------|--------------|
| LD50 oral rat | 597 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

| | |
|--------------------|-------------|
| LD50 oral rat | 64 mg/kg |
| LD50 dermal rabbit | 87,12 mg/kg |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|-----------------------------------|--------------|
| LC50 Inhalation - Rat | 0,33 mg/l/4h |
| LC50 Inhalation - Rat (Dust/Mist) | 0,33 mg/l/4h |

Kieselguhr, soda ash flux-calcined (68855-54-9)

| | |
|-----------------------|-------------------------|
| LD50 oral rat | > 2000 mg/kg (OCDE 401) |
| LC50 Inhalation - Rat | > 2,6 mg/l (OCDE 403) |

Titanium dioxide (13463-67-7)

| | |
|-----------------------|----------------|
| LD50 oral rat | > 5000 mg/kg |
| LC50 Inhalation - Rat | > 6,82 mg/l/4h |

| | |
|-----------------------------------|-------------------------------------|
| Skin corrosion/irritation | : Not classified pH: > 7 (7 – 8) |
| Serious eye damage/irritation | : Not classified pH: > 7 (7 – 8) |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |

Kieselguhr, soda ash flux-calcined (68855-54-9)

| | |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

| | |
|-------------------|------------------|
| Aspiration hazard | : Not classified |
|-------------------|------------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

1,2-benzisothiazol-3(2H)-one (2634-33-5)

| | |
|----------------------|---|
| LC50 - Fish [1] | 0,74 mg/l 96 Hours (Oncorhynchus mykiss) |
| EC50 - Crustacea [1] | 1,9 mg/l 96 Hours (Mysidopsis bahia) |
| EC50 - Crustacea [2] | 1,5 mg/l 48 heures (Daphnia magna) |
| ErC50 algae | 0,11 mg/l 72 Hours (Pseudokirchnerella subcapitata) |
| NOEC (acute) | 0,15 mg/l 48 Hours (Scenedesmus acutus) |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | |
|--|--|
| LC50 - Fish [1] | 0,19 mg/l 96 Hours (Oncorhynchus mykiss) (OECD 203 method) |
| LC50 - Fish [2] | 0,28 mg/l (96h) (Lepomis macrochirus) |
| EC50 - Crustacea [1] | 0,16 mg/l 48 Hours (Daphnia magna) (OECD 202 method) |
| ErC50 algae | 0,027 mg/l 48 Hours (Pseudokirchnerella subcapitata) (OECD 201 method) |
| NOEC (acute) | 0,0014 72 Hours (Skeletonema costatum) (OECD 201 method) |
| NOEC chronic fish | 0,05 mg/l 14 days (Oncorhynchus mykiss) (OECD 203 method) |
| NOEC chronic crustacea | 0,1 mg/l 21 days (Daphnia magna) (OECD 202 method) |
| NOEC chronic algae | 0,0014 mg/l |

| Titanium dioxide (13463-67-7) | |
|-------------------------------|--|
| LC50 - Fish [1] | > 1000 mg/l 96 Hours (Fundulus heteroclitus) |
| EC50 - Crustacea [1] | > 1000 mg/l 48 Hours (Daphnia magna) |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| 14.4. Packing group | | | | |
|--|----------------|----------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 15 (10 – 15) g/l

15.1.2. National regulations

France

Occupational diseases

| Code | Description |
|-------|---|
| RG 25 | Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal. |
| RG 65 | Eczematiform lesions of allergic mechanism |
| RG 66 | Occupational rhinitis and asthma |

Other information, restrictions and prohibition regulations : Classification according to directives 67/548/EEC and 1999/45/EC
VOC Directive 2004/42/EC - Decorative paints and varnishes
Labelling of building products or products used for wall or floor coatings and paints and varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Kieselguhr, soda ash flux-calcined is listed

SZW-lijst van mutagene stoffen : Kieselguhr, soda ash flux-calcined is listed

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| COD | Chemical oxygen demand (COD) |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| EN | European Standard |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|---------|--|
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| VOC | Volatile Organic Compounds |
| CAS-No. | Chemical Abstract Service number |
| N.O.S. | Not Otherwise Specified |
| vPvB | Very Persistent and Very Bioaccumulative |
| ED | Endocrine disrupting properties |

- Data sources : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
- Other information : The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

| Full text of H- and EUH-statements: | |
|--|---|
| Acute Tox. 2 (Dermal) | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Acute Tox. Not classified (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Not classified |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1A | Skin sensitisation, category 1A |

EDELPLAFOND NTW

Safety Data Sheet

according to Regulation (EC) No. 453/2010

| | |
|-----------|---|
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H351 | Suspected of causing cancer. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. |
| EUH211 | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.