

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010  
Issue date: 27/11/2017 Revision date: 26/05/2020 Version: 2.2

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : MAT A PLAFOND HYDRO  
Product code : 458ST  
Type of product : PAINT  
Product group : Trade product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use  
Industrial/Professional use spec : For professional use only  
Use of the substance/mixture : apply paint on walls and ceilings

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Ressource  
Rue de Mousselière  
30133 Les Angles - FRANCE  
T +33(0)490254245  
[contact@ressource-decoration.com](mailto:contact@ressource-decoration.com) - [www.ressource-peintures.com](http://www.ressource-peintures.com)

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Not classified

**Adverse physicochemical, human health and environmental effects**

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

EUH-statements : EUH208 - Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

**2.3. Other hazards**

Other hazards which do not result in classification : None under normal conditions.  
PBT: not relevant – no registration required  
vPvB: not relevant – no registration required

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Titanium dioxide	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-002 (REACH-no) 01-2119489379-17	< 13,71008	Carc. 2, H351
1,2-benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	0,03686932 – 0,03736932	Acute Tox. 4 (Oral), H302 (ATE=597 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48	< 0,1	Acute Tox. 2 (Inhalation), H330 (ATE=0,33 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=87,12 mg/kg de poids corporel) Acute Tox. 3 (Oral), H301 (ATE=64 mg/kg de poids corporel) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
2-methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4 (EC-No.) 220-239-6 (EC Index-No.) 613-326-00-9	0,00025 – 0,00075	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 (ATE=400 mg/kg de poids corporel) Acute Tox. 3 (Oral), H301 (ATE=200 mg/kg de poids corporel) Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (EC Index-No.) 613-088-00-6	( 0,05 ≤C ≤ 100) Skin Sens. 1, H317

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5 (REACH-no) 01-2120764691-48	( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317 ( 0,06 ≤C < 0,6) Eye Irrit. 2, H319 ( 0,06 ≤C < 0,6) Skin Irrit. 2, H315 ( 0,6 ≤C ≤ 100) Eye Dam. 1, H318 ( 0,6 ≤C ≤ 100) Skin Corr. 1C, H314
2-methyl-2H-isothiazol-3-one	(CAS-No.) 2682-20-4 (EC-No.) 220-239-6 (EC Index-No.) 613-326-00-9	( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Always wash hands after handling the product. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep out of frost. Keep out of the reach of children.
- Storage conditions : Store in a well-ventilated place. Keep cool.
- Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.
- Information on mixed storage : Keep out of reach of children.
- Storage area : Store in a well-ventilated place.
- Special rules on packaging : Store in a closed container. Keep only in original container.
- Packaging materials : Do not store in corrodable metal. Keep only in the original container in a cool, well-ventilated place away from combustible materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Titanium dioxide (13463-67-7)	
<b>Austria - Occupational Exposure Limits</b>	
Local name	Titandioxid (Alveolarstaub)
MAK (OEL TWA)	5 mg/m <sup>3</sup>
MAK (OEL STEL)	10 mg/m <sup>3</sup>
<b>Belgium - Occupational Exposure Limits</b>	
Local name	Titane (dioxyde de)
OEL TWA	10 mg/m <sup>3</sup>
<b>Bulgaria - Occupational Exposure Limits</b>	
Local name	Титанов диоксид, респирабилен прах
OEL TWA	10 mg/m <sup>3</sup>

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

<b>Titanium dioxide (13463-67-7)</b>	
<b>Croatia - Occupational Exposure Limits</b>	
Local name	Titanov dioksid
GVI (OEL TWA) [1]	10 mg/m <sup>3</sup> inhalable dust 4 mg/m <sup>3</sup> respirable dust
<b>Denmark - Occupational Exposure Limits</b>	
Local name	Titandioxid, beregnet som Ti
OEL TWA [1]	6 mg/m <sup>3</sup>
<b>Estonia - Occupational Exposure Limits</b>	
Local name	Titaanoksiid
OEL TWA	5 mg/m <sup>3</sup>
<b>France - Occupational Exposure Limits</b>	
Local name	Titane (dioxyde de),en Ti
VME (OEL TWA)	10 mg/m <sup>3</sup>
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	10 mg/m <sup>3</sup>
<b>Latvia - Occupational Exposure Limits</b>	
Local name	Titānadioksīds
OEL TWA	10 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
Local name	Titano dioksidas
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
Local name	Dióxido de titânio
OEL TWA	10 mg/m <sup>3</sup>
<b>Spain - Occupational Exposure Limits</b>	
Local name	Dióxido de titanio
VLA-ED (OEL TWA) [1]	10 mg/m <sup>3</sup>
<b>Sweden - Occupational Exposure Limits</b>	
Local name	Titanium dioxide total dust
NGV (OEL TWA) [ppm]	5 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	4 mg/m <sup>3</sup> respirable 10 mg/m <sup>3</sup> total inhalable
<b>Iceland - Occupational Exposure Limits</b>	
Local name	Titandíoxíð, sem Ti
OEL TWA	6 mg/m <sup>3</sup>
<b>Norway - Occupational Exposure Limits</b>	
Local name	Titandioksid
Grenseverdi (OEL TWA) [1]	5 mg/m <sup>3</sup>

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Titanium dioxide (13463-67-7)	
<b>Switzerland - Occupational Exposure Limits</b>	
Local name	Dioxyde de titane
MAK (OEL TWA) [1]	3 mg/m <sup>3</sup>
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Titanium dioxide
ACGIH OEL TWA	1 mg/m <sup>3</sup>
Remark (ACGIH)	LRT irr; A3

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
<b>Austria - Occupational Exposure Limits</b>	
Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)
MAK (OEL TWA)	0,05 mg/m <sup>3</sup>
Remark (AT)	Sh,H

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

<b>Eye protection:</b>
Safety glasses

#### 8.2.2.2. Skin protection

<b>Skin and body protection:</b>
Wear suitable protective clothing

<b>Hand protection:</b>
Protective gloves

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: slight.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 7 – 9
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 500 – 2000 cP
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 1499 kg/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 15 g/l

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### 2-methyl-2H-isothiazol-3-one (2682-20-4)

LD50 oral rat	200 mg/kg
LD50 dermal rat	400 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	0,53 mg/l/4h

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

LD50 oral rat	597 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

#### Titanium dioxide (13463-67-7)

LD50 oral rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 6,82 mg/l/4h

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 oral rat	64 mg/kg
LD50 dermal rabbit	87,12 mg/kg
LC50 Inhalation - Rat	0,33 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	0,33 mg/l/4h

Skin corrosion/irritation : Not classified  
pH: 7 – 9



# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Serious eye damage/irritation	: Not classified pH: 7 – 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

#### 2-methyl-2H-isothiazol-3-one (2682-20-4)

LC50 - Fish [1]	4,77 mg/l (96h) (Oncorhynchus mykiss)
EC50 - Crustacea [1]	0,93 mg/l (48h) (Daphnia magna)
ErC50 algae	0,157 mg/l 72 heures (Pseudokirchneriella subcapitata) (OCDE 201)
NOEC (acute)	0,03 mg/l (72 heures) (Pseudokirchneriella subcapitata) (OCDE 201)
NOEC (chronic)	0,55 mg/l (21 jours) (Daphnia magna) (OCDE 211)
NOEC chronic fish	2,38 mg/l (28 jours) (Pimephales promelas) (OCDE 210)

#### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

LC50 - Fish [1]	0,74 mg/l 96 Hours (Oncorhynchus mykiss)
EC50 - Crustacea [1]	1,9 mg/l 96 Hours (Mysidopsis bahia)
EC50 - Crustacea [2]	1,5 mg/l 48 heures (Daphnia magna)
ErC50 algae	0,11 mg/l 72 Hours (Pseudokirchnerella subcapitata)
NOEC (acute)	0,15 mg/l 48 Hours (Scenedesmus acutus)

#### Titanium dioxide (13463-67-7)

LC50 - Fish [1]	> 1000 mg/l 96 Hours (Fundulus heteroclitus)
EC50 - Crustacea [1]	> 1000 mg/l 48 Hours (Daphnia magna)

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LC50 - Fish [1]	0,19 mg/l 96 Hours (Oncorhynchus mykiss) (OECD 203 method)
LC50 - Fish [2]	0,28 mg/l (96h) (Lepomis macrochirus)

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

EC50 - Crustacea [1]	0,16 mg/l 48 Hours (Daphnia magna) (OECD 202 method)
ErC50 algae	0,027 mg/l 48 Hours (Pseudokirchnerella subcapitata) (OECD 201 method)
NOEC (acute)	0,0014 72 Hours (Skeletonema costatum) (OECD 201 method)
NOEC chronic fish	0,05 mg/l 14 days (Oncorhynchus mykiss) (OECD 203 method)
NOEC chronic crustacea	0,1 mg/l 21 days (Daphnia magna) (OECD 202 method)
NOEC chronic algae	0,0014 mg/l

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### MAT A PLAFOND HYDRO

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with

### 14.1. UN number or ID number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

### 14.4. Packing group

### 14.5. Environmental hazards

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

No supplementary information available

### 14.6. Special precautions for user

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : < 15 g/l

#### 15.1.2. National regulations

##### France

###### Occupational diseases

Code	Description
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.
RG 65	Eczematiform lesions of allergic mechanism
RG 66	Occupational rhinitis and asthma

Other information, restrictions and prohibition regulations : Classification according to directives 67/548/EEC and 1999/45/EC  
VOC Directive 2004/42/EC - Decorative paints and varnishes  
Labelling of building products or products used for wall or floor coatings and paints and varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

##### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
LC50	Median lethal concentration
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
SDS	Safety Data Sheet
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods

- Data sources : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
- Other information : The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.
- The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2

# MAT A PLAFOND HYDRO

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.