

**Safety Data Sheet**according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 02/10/2017 Revision date: 28/08/2020 Version: 1.0**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A  
UFI : TNYE-A0CC-7009-CGJH  
Product code : 505STA  
Product group : HALF FINISHED

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use  
Industrial/Professional use spec : For professional use only

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Ressource  
Rue de Mousselière  
30133 Les Angles - FRANCE  
T +33(0)490254245  
[contact@ressource-decoration.com](mailto:contact@ressource-decoration.com) - [www.ressource-peintures.com](http://www.ressource-peintures.com)

**1.4. Emergency telephone number**

| Country        | Organisation/Company  | Address   | Emergency number | Comment |
|----------------|---|---|------------------|---------|
| United Kingdom | National Poisons Information Service<br>(Newcastle Centre)<br>Regional Drugs and Therapeutics<br>Centre, Wolfson Unit | Claremont Place<br>Newcastle-upon-Tyne<br>NE1 4LP Newcastle | 0344 892 0111    |         |

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Serious eye damage/eye irritation, Category 2 H319  
Full text of H statements : see section 16

**Adverse physicochemical, human health and environmental effects**

Causes serious eye damage.

**2.2. Label elements****Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Hazard statements (CLP) : H319 - Causes serious eye irritation.

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|                                |   |
|--------------------------------|---|
| Precautionary statements (CLP) | : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.<br>P337+P313 - If eye irritation persists: Get medical advice/attention.                                   |
| EUH-statements                 | : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one . May produce an allergic reaction. |

### 2.3. Other hazards

| Component |  |
|-----------|--|
|           | The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 |

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                         | Product identifier   | %                  | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|------------------------------|--|--------------------|--|
| ANQUAMINE 721                |  | 25 – 50            | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319  |
| 1,2-benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5<br>(EC-No.) 220-120-9<br>(EC Index-No.) 613-088-00-6 | 0,0364 –<br>0,0372 | Acute Tox. 4 (Oral), H302<br>(ATE=597 mg/kg de poids corporel)<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400   |
| 2-methyl-2H-isothiazol-3-one | (CAS-No.) 2682-20-4<br>(EC-No.) 220-239-6<br>(EC Index-No.) 613-326-00-9 | 0,0004 –<br>0,0012 | Acute Tox. 2 (Inhalation), H330<br>Acute Tox. 3 (Dermal), H311<br>(ATE=400 mg/kg de poids corporel)<br>Acute Tox. 3 (Oral), H301<br>(ATE=200 mg/kg de poids corporel)<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=10)<br>Aquatic Chronic 1, H410 |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|   |  |       |  |
|---|--|-------|--|
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | (CAS-No.) 55965-84-9<br>(EC Index-No.) 613-167-00-5<br>(REACH-no) 01-2120764691-48 | < 0,1 | Acute Tox. 2 (Inhalation), H330<br>(ATE=0,33 mg/l/4h)<br>Acute Tox. 2 (Dermal), H310<br>(ATE=87,12 mg/kg de poids corporel)<br>Acute Tox. 3 (Oral), H301<br>(ATE=64 mg/kg de poids corporel)<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |
|---|--|-------|--|

### Specific concentration limits:

| Name  | Product identifier   | Specific concentration limits  |
|---|--|--|
| 1,2-benzisothiazol-3(2H)-one  | (CAS-No.) 2634-33-5<br>(EC-No.) 220-120-9<br>(EC Index-No.) 613-088-00-6           | ( 0,05 ≤C ≤ 100) Skin Sens. 1, H317  |
| 2-methyl-2H-isothiazol-3-one  | (CAS-No.) 2682-20-4<br>(EC-No.) 220-239-6<br>(EC Index-No.) 613-326-00-9           | ( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317   |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | (CAS-No.) 55965-84-9<br>(EC Index-No.) 613-167-00-5<br>(REACH-no) 01-2120764691-48 | ( 0,0015 ≤C ≤ 100) Skin Sens. 1A, H317<br>( 0,06 ≤C < 0,6) Eye Irrit. 2, H319<br>( 0,06 ≤C < 0,6) Skin Irrit. 2, H315<br>( 0,6 ≤C ≤ 100) Eye Dam. 1, H318<br>( 0,6 ≤C ≤ 100) Skin Corr. 1C, H314 |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.   |
| First-aid measures after skin contact | : Wash skin with plenty of water.  |
| First-aid measures after eye contact  | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                    |                           |
|------------------------------------|---------------------------|
| Symptoms/effects after eye contact | : Serious damage to eyes. |
|------------------------------------|---------------------------|

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) |  |
|--|--|
| Austria - Occupational Exposure Limits   |  |
| Local name   | 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1) |
| MAK (OEL TWA)  | 0,05 mg/m <sup>3</sup>   |
| Remark (AT)  | Sh,H   |

#### 8.1.2. Recommended monitoring procedures

No additional information available

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                 |                  |
|-----------------|------------------|
| Physical state  | : Liquid         |
| Colour          | : Not available  |
| Odour           | : Not available  |
| Odour threshold | : Not available  |
| Melting point   | : Not applicable |
| Freezing point  | : Not available  |
| Boiling point   | : Not available  |
| Flammability    | : Not applicable |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|   |                           |
|---|---------------------------|
| Explosive limits                                | : Not available           |
| Lower explosive limit (LEL)                     | : Not available           |
| Upper explosive limit (UEL)                     | : Not available           |
| Flash point                                     | : Not available           |
| Auto-ignition temperature                       | : Not available           |
| Decomposition temperature                       | : Not available           |
| pH  | : > 7                     |
| Viscosity, kinematic                            | : Not available           |
| Viscosity, dynamic                              | : 100 – 1000              |
| Solubility                                      | : Not available           |
| Partition coefficient n-octanol/water (Log Kow) | : Not available           |
| Vapour pressure                                 | : Not available           |
| Vapour pressure at 50 °C                        | : Not available           |
| Density   | : 1,026 g/cm <sup>3</sup> |
| Relative density                                | : 1,026                   |
| Relative vapour density at 20 °C                | : Not available           |
| Particle size                                   | : Not applicable          |
| Particle size distribution                      | : Not applicable          |
| Particle shape                                  | : Not applicable          |
| Particle aspect ratio                           | : Not applicable          |
| Particle aggregation state                      | : Not applicable          |
| Particle agglomeration state                    | : Not applicable          |
| Particle specific surface area                  | : Not applicable          |
| Particle dustiness                              | : Not applicable          |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : ≈ 0 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                         |                  |
|-------------------------|------------------|
| Acute toxicity (oral)   | : Not classified |
| Acute toxicity (dermal) | : Not classified |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified

| 2-methyl-2H-isothiazol-3-one (2682-20-4) |              |
|--|--------------|
| LD50 oral rat                            | 200 mg/kg    |
| LD50 dermal rat                          | 400 mg/kg    |
| LC50 Inhalation - Rat (Dust/Mist)        | 0,53 mg/l/4h |

| 1,2-benzisothiazol-3(2H)-one (2634-33-5) |              |
|--|--------------|
| LD50 oral rat                            | 597 mg/kg    |
| LD50 dermal rat                          | > 2000 mg/kg |
| LD50 dermal rabbit                       | > 5000 mg/kg |

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) |              |
|--|--------------|
| LD50 oral rat  | 64 mg/kg     |
| LD50 dermal rabbit   | 87,12 mg/kg  |
| LC50 Inhalation - Rat  | 0,33 mg/l/4h |
| LC50 Inhalation - Rat (Dust/Mist)  | 0,33 mg/l/4h |

Skin corrosion/irritation : Not classified  
pH: > 7

Serious eye damage/irritation : Causes serious eye irritation.  
pH: > 7

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

| 2-methyl-2H-isothiazol-3-one (2682-20-4) |   |
|--|---|
| LC50 - Fish [1]                          | 4,77 mg/l (96h) (Oncorhynchus mykiss)                             |
| EC50 - Crustacea [1]                     | 0,93 mg/l (48h) (Daphnia magna)                                   |
| ErC50 algae                              | 0,157 mg/l 72 heures (Pseudokirchneriella subcapitata) (OCDE 201) |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|                   |  |
|-------------------|--|
| NOEC (acute)      | 0,03 mg/l (72 heures) (Pseudokirchneriella subcapitata) (OCDE 201) |
| NOEC (chronic)    | 0,55 mg/l (21 jours) (Daphnia magna) (OCDE 211)                    |
| NOEC chronic fish | 2,38 mg/l (28 jours) (Pimephales promelas) (OCDE 210)              |

### 1,2-benzisothiazol-3(2H)-one (2634-33-5)

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | 0,74 mg/l 96 Hours (Oncorhynchus mykiss)            |
| EC50 - Crustacea [1] | 1,9 mg/l 96 Hours (Mysidopsis bahia)                |
| EC50 - Crustacea [2] | 1,5 mg/l 48 heures (Daphnia magma)                  |
| ErC50 algae          | 0,11 mg/l 72 Hours (Pseudokirchnerella subcapitata) |
| NOEC (acute)         | 0,15 mg/l 48 Hours (Scenedesmus acutus)             |

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

|                        |  |
|------------------------|--|
| LC50 - Fish [1]        | 0,19 mg/l 96 Hours (Oncorhynchus mykiss) (OECD 203 method)             |
| LC50 - Fish [2]        | 0,28 mg/l (96h) (Lepomis macrochirus)                                  |
| EC50 - Crustacea [1]   | 0,16 mg/l 48 Hours (Daphnia magma) (OECD 202 method)                   |
| ErC50 algae            | 0,027 mg/l 48 Hours (Pseudokirchnerella subcapitata) (OECD 201 method) |
| NOEC (acute)           | 0,0014 72 Hours (Skeletonema costatum) (OECD 201 method)               |
| NOEC chronic fish      | 0,05 mg/l 14 days (Oncorhynchus mykiss) (OECD 203 method)              |
| NOEC chronic crustacea | 0,1 mg/l 21 days (Daphnia magma) (OECD 202 method)                     |
| NOEC chronic algae     | 0,0014 mg/l  |

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID



# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number or ID number</b>     |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

|  |   |
|--|---|
| The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: |   |
| Reference code   | Applicable on                                   |
| 3(b)   | PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content :  $\approx 0$  g/l

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.2. National regulations

#### France

##### Occupational diseases

| Code  | Description                                |
|-------|--|
| RG 65 | Eczematiform lesions of allergic mechanism |
| RG 66 | Occupational rhinitis and asthma           |

Other information, restrictions and prohibition regulations : Classification according to directives 67/548/EEC and 1999/45/EC  
VOC Directive 2004/42/EC - Decorative paints and varnishes  
Labelling of building products or products used for wall or floor coatings and paints and varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed  
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

#### Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ATE                         | Acute Toxicity Estimate   |
| LC50                        | Median lethal concentration   |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| EC50                        | Median effective concentration  |
| SDS                         | Safety Data Sheet   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LD50                        | Median lethal dose  |
| vPvB                        | Very Persistent and Very Bioaccumulative  |
| PBT                         | Persistent Bioaccumulative Toxic  |
| STP                         | Sewage treatment plant  |
| REACH                       | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|                   |   |
|-------------------|---|
| Data sources      | : Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  |
| Training advice   | : Normal use of this product shall imply use in accordance with the instructions on the packaging.  |
| Other information | : The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it. |

The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Acute Tox. 2 (Dermal)               | Acute toxicity (dermal), Category 2                               |
| Acute Tox. 2 (Inhalation)           | Acute toxicity (inhal.), Category 2                               |
| Acute Tox. 3 (Dermal)               | Acute toxicity (dermal), Category 3                               |
| Acute Tox. 3 (Oral)                 | Acute toxicity (oral), Category 3                                 |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1                     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                     |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1, Sub-Category 1B            |
| Skin Corr. 1C                       | Skin corrosion/irritation, Category 1, Sub-Category 1C            |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1                        | Skin sensitisation, Category 1                                    |
| Skin Sens. 1A                       | Skin sensitisation, category 1A                                   |
| H301                                | Toxic if swallowed.   |
| H302                                | Harmful if swallowed.   |
| H310                                | Fatal in contact with skin.                                       |
| H311                                | Toxic in contact with skin.                                       |
| H314                                | Causes severe skin burns and eye damage.                          |
| H315                                | Causes skin irritation.   |
| H317                                | May cause an allergic skin reaction.                              |
| H318                                | Causes serious eye damage.  |
| H319                                | Causes serious eye irritation.                                    |
| H330                                | Fatal if inhaled.   |
| H400                                | Very toxic to aquatic life.                                       |

# PROTECTION EPOXY HAUTE RESISTANCE - COMPOSANT A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

|        |  |
|--------|--|
| H410   | Very toxic to aquatic life with long lasting effects.  |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-methyl-2H-isothiazol-3-one . May produce an allergic reaction. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.