

**Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010  
Issue date: 07.06.2017 Revision date: 05.10.2023 Supersedes version of: 07.10.2021 Version: 2.4

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Mixture  
Trade name : MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS  
UFI : MM71-K0MV-000A-UTEP  
Product code : 450ST  
Type of product : PAINT  
Product group : Trade product

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Main use category : Professional use  
Industrial/Professional use spec : For professional use only

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Ressource  
Rue de Mousselière  
FR- 30133 Les Angles  
FRANCE  
T +33(0)490254245  
[contact@ressource-decoration.com](mailto:contact@ressource-decoration.com) - [www.ressource-peintures.com](http://www.ressource-peintures.com)

**1.4. Emergency telephone number**

| Country        | Organisation/Company  | Address   | Emergency number  | Comment   |
|----------------|---|---|-------------------|---|
| France         | ORFILA  |   | +33 1 45 42 59 59 | This number provides contact details for all French Poison Control centers. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week. |
| France         | ORFILA  |   | +33 1 45 42 59 59 | This number provides contact details for all French Poison Control centers. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week. |
| United Kingdom | National Poisons Information Service (Newcastle Centre)<br>Regional Drugs and Therapeutics Centre | 16/17 Framlington Place<br>Newcastle-upon-Tyne<br>NE2 4AB | 0344 892 0111     | Only for healthcare professionals   |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226

Carcinogenicity Not classified

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Extra phrases

: For professional users only.

#### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier   | %               | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-----------------|---|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics | EC-No.: 918-481-9<br>REACH-no: 01-2119457273-39                      | 10 – 20         | Asp. Tox. 1, H304   |
| Hydrocarbure isoparaffinique  | EC-No.: 920-901-0  | 5 – 10          | Asp. Tox. 1, H304   |
| Calcium carbonate   | CAS-No.: 471-34-1<br>EC-No.: 207-439-9<br>REACH-no: 01-2119486795-18 | 2,685 – 4,34075 | Acute Tox. 4 (Inhalation:dust,mist), H332                       |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| Name  | Product identifier   | %                  | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|--|--------------------|--|
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics | EC-No.: 919-857-5<br>REACH-no: 01-2119463258-33                        | 1 – 5              | Flam. Liq. 3, H226<br>STOT SE 3, H336<br>Asp. Tox. 1, H304   |
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics | CAS-No.: 64742-48-9<br>EC-No.: 919-857-5<br>REACH-no: 01-2119463258-33 | 0,7161 –<br>1,4322 | Flam. Liq. 3, H226<br>Acute Tox. Not classified<br>(Inhalation:vapour)<br>STOT SE 3, H336<br>Asp. Tox. 1, H304 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.                |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.  |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell.                          |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                     |   |
|-------------------------------------|---|
| Symptoms/effects after skin contact | : Repeated exposure may cause skin dryness or cracking. |
|-------------------------------------|---|

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                              |  |
|------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
|------------------------------|--|

### 5.2. Special hazards arising from the substance or mixture

|  |                                |
|--|--------------------------------|
| Fire hazard                                      | : Flammable liquid and vapour. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
|--------------------------------|--|

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |   |
|----------------------|---|
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. |
|----------------------|---|

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

### 6.2. Environmental precautions

Avoid release to the environment.

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Calcium carbonate (471-34-1)                   |                        |
|--|------------------------|
| <b>France - Occupational Exposure Limits</b>   |                        |
| Local name                                     | Calcium (carbonate de) |
| VME (OEL TWA)                                  | 10 mg/m <sup>3</sup>   |
| <b>Latvia - Occupational Exposure Limits</b>   |                        |
| Local name                                     | Kalcijakarbonāts       |
| OEL TWA  | 6 mg/m <sup>3</sup>    |
| <b>Poland - Occupational Exposure Limits</b>   |                        |
| Local name                                     | Węglan wapnia pyły 10) |
| NDS (OEL TWA)                                  | 10 mg/m <sup>3</sup>   |
| <b>Portugal - Occupational Exposure Limits</b> |                        |
| Local name                                     | Carbonato de cálcio    |
| OEL TWA  | 10 mg/m <sup>3</sup>   |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                           |                                |
|---------------------------|--------------------------------|
| Physical state            | : Liquid                       |
| Colour                    | : white.                       |
| Odour                     | : Not available                |
| Odour threshold           | : Not available                |
| Melting point             | : Not applicable               |
| Freezing point            | : Not available                |
| Boiling point             | : Not available                |
| Flammability              | : Flammable liquid and vapour. |
| Lower explosion limit     | : Not available                |
| Upper explosion limit     | : Not available                |
| Flash point               | : > 55 °C                      |
| Auto-ignition temperature | : Not available                |
| Decomposition temperature | : Not available                |
| pH                        | : Not available                |
| Viscosity, kinematic      | : Not available                |
| Viscosity, dynamic        | : 500 – 2000 cP                |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

|   |                           |
|---|---------------------------|
| Solubility                                      | : Not available           |
| Partition coefficient n-octanol/water (Log Kow) | : Not available           |
| Vapour pressure                                 | : Not available           |
| Vapour pressure at 50°C                         | : Not available           |
| Density   | : 1,619 g/cm <sup>3</sup> |
| Relative density                                | : Not available           |
| Relative vapour density at 20°C                 | : Not available           |
| Particle characteristics                        | : Not applicable          |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : < 380 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Calcium carbonate (471-34-1)   |                          |
|--|--------------------------|
| LD50 oral rat  | 6450 mg/kg               |
| LD50 dermal rat  | > 2000 mg/kg (OECD 402)  |
| LC50 Inhalation - Rat  | > 3 mg/l/4h              |
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-48-9) |                          |
| LD50 oral rat  | > 5000 mg/kg             |
| LD50 dermal rabbit   | > 5000 mg/kg             |
| LC50 Inhalation - Rat  | > 5610 mg/m <sup>3</sup> |
| LC50 Inhalation - Rat (Vapours)  | > 5 mg/l/4h              |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| <b>Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics</b> |  |
|---|--|
| LD50 oral rat   | > 5000 mg/kg (OECD 401 method)             |
| LD50 dermal rabbit  | > 5000 mg/kg (OECD 402 method)             |
| LC50 Inhalation - Rat   | > 4951 mg/m <sup>3</sup> (OECD 403 method) |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</b> |                                |
|---|--------------------------------|
| LD50 oral rat   | > 5000 mg/kg (OECD 401 method) |
| LD50 dermal rabbit  | > 5000 mg/kg (OECD 402 method) |
| LC50 Inhalation - Rat   | (OECD 403 method)              |
| LC50 Inhalation - Rat (Vapours)   | 5000 mg/l/4h                   |

|                                   |                   |
|-----------------------------------|-------------------|
| Skin corrosion/irritation         | : Not classified  |
| Serious eye damage/irritation     | : Not classified  |
| Respiratory or skin sensitisation | : Not classified  |
| Germ cell mutagenicity            | : Not classified  |
| Carcinogenicity                   | : Not classified. |
| Reproductive toxicity             | : Not classified  |
| STOT-single exposure              | : Not classified  |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics (64742-48-9)</b> |                                    |
|--|------------------------------------|
| STOT-single exposure   | May cause drowsiness or dizziness. |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</b> |                                    |
|---|------------------------------------|
| STOT-single exposure  | May cause drowsiness or dizziness. |
| STOT-repeated exposure  | : Not classified                   |
| Aspiration hazard   | : Not classified                   |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics (64742-48-9)</b> |                         |
|--|-------------------------|
| Viscosity, kinematic   | 1,25 mm <sup>2</sup> /s |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</b> |                                |
|---|--------------------------------|
| Viscosity, kinematic  | 1,02 – 1,35 mm <sup>2</sup> /s |

| <b>Hydrocarbure isoparaffinique</b> |                               |
|-------------------------------------|-------------------------------|
| Viscosity, kinematic                | 1,3 – 1,74 mm <sup>2</sup> /s |

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified  |

| <b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics (64742-48-9)</b> |   |
|--|---|
| LC50 - Fish [1]  | > 1000 mg/l 96 heures (Oncorhynchus mykiss) |
| EC50 - Crustacea [1]   | > 1000 mg/l 48 heures (Daphnies)            |
| EC50 72h - Algae [1]   | > 1000 mg/l                                 |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

|                      |   |
|----------------------|---|
| LC50 - Fish [1]      | > 1000 mg/l 96 heures (Oncorhynchus mykiss)             |
| EC50 72h - Algae [1] | > 1000 mg/l Pseudokirchneriella subcapitata             |
| ErC50 algae          | > 1000 mg/l 72 heures (Pseudokirchneriella subcapitata) |

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available



## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Additional information : Flammable vapours may accumulate in the container.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR   | IMDG  | IATA           | ADN            | RID            |
|---|---|----------------|----------------|----------------|
| <b>14.1. UN number or ID number</b>   |   |                |                |                |
| UN 1263   | UN 1263   | Not applicable | Not applicable | Not applicable |
| <b>14.2. UN proper shipping name</b>  |   |                |                |                |
| PAINT   | PAINT   | Not applicable | Not applicable | Not applicable |
| <b>Transport document description</b>   |   |                |                |                |
| UN 1263 PAINT, 3, III, (D/E)  | UN 1263 PAINT, 3, III   | Not applicable | Not applicable | Not applicable |
| <b>14.3. Transport hazard class(es)</b>   |   |                |                |                |
| 3   | 3   | Not applicable | Not applicable | Not applicable |
|  |  | Not applicable | Not applicable | Not applicable |



# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| ADR                                    | IMDG  | IATA           | ADN            | RID            |
|--|---|----------------|----------------|----------------|
| <b>14.4. Packing group</b>             |   |                |                |                |
| III                                    | III   | Not applicable | Not applicable | Not applicable |
| <b>14.5. Environmental hazards</b>     |   |                |                |                |
| Dangerous for the environment: No      | Dangerous for the environment: No<br>Marine pollutant: No | Not applicable | Not applicable | Not applicable |
| No supplementary information available |   |                |                |                |

### 14.6. Special precautions for user

Special transport precautions : Avoid release to the environment.

#### Overland transport

Transport regulations (ADR) : Non soumis à cette réglementation si Q < 450L (2.2.3.1.4)  
Classification code (ADR) : F1  
Special provisions (ADR) : 163, 640E, 650, 367  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T2  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBF  
Vehicle for tank carriage : FL  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Operation (ADR) : S2  
Hazard identification number (Kemler No.) : 30  
Orange plates :   
Tunnel restriction code (ADR) : D/E

#### Transport by sea

Transport regulations (IMDG) : Non soumis à la réglementation IMDG si Q < 30 l  
Special provisions (IMDG) : 163, 223, 955, 367  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1, TP29  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-E  
Stowage category (IMDG) : A  
Properties and observations (IMDG) : Miscibility with water depends upon the composition.

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |   |
|--|---|
| Reference code                         | Applicable on   |
| 3(a)                                   | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics   |
| 3(b)                                   | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics ; Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics |
| 40.                                    | Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics ; Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics   |

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : < 380 g/l

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### France

Other information, restrictions and prohibition regulations : Classification according to directives 67/548/EEC and 1999/45/EC  
VOC Directive 2004/42/EC - Decorative paints and varnishes  
Labelling of building products or products used for wall or floor coatings and paints and varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)  
Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| Occupational diseases |   |
|-----------------------|---|
| Code                  | Description   |
| RG 84                 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes |                       |          |          |
|-----------------------|-----------------------|----------|----------|
| Section               | Changed item          | Change   | Comments |
|                       | Supersedes version of | Modified |          |

### Abbreviations and acronyms:

|        |   |
|--------|---|
| ADN    | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR    | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE    | Acute Toxicity Estimate   |
| BCF    | Bioconcentration factor   |
| BLV    | Biological limit value  |
| BOD    | Biochemical oxygen demand (BOD)   |
| COD    | Chemical oxygen demand (COD)  |
| DMEL   | Derived Minimal Effect level  |
| DNEL   | Derived-No Effect Level   |
| EC-No. | European Community number   |
| EC50   | Median effective concentration  |
| EN     | European Standard   |
| IARC   | International Agency for Research on Cancer   |
| IATA   | International Air Transport Association   |

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| Abbreviations and acronyms: |  |
|-----------------------------|--|
| IMDG                        | International Maritime Dangerous Goods                                       |
| LC50                        | Median lethal concentration  |
| LD50                        | Median lethal dose   |
| LOAEL                       | Lowest Observed Adverse Effect Level   |
| NOAEC                       | No-Observed Adverse Effect Concentration                                     |
| NOAEL                       | No-Observed Adverse Effect Level   |
| NOEC                        | No-Observed Effect Concentration   |
| OECD                        | Organisation for Economic Co-operation and Development                       |
| OEL                         | Occupational Exposure Limit  |
| PBT                         | Persistent Bioaccumulative Toxic   |
| PNEC                        | Predicted No-Effect Concentration  |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS                         | Safety Data Sheet  |
| STP                         | Sewage treatment plant   |
| ThOD                        | Theoretical oxygen demand (ThOD)   |
| TLM                         | Median Tolerance Limit   |
| VOC                         | Volatile Organic Compounds   |
| CAS-No.                     | Chemical Abstract Service number   |
| N.O.S.                      | Not Otherwise Specified  |
| vPvB                        | Very Persistent and Very Bioaccumulative                                     |
| ED                          | Endocrine disrupting properties  |

- Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
- Other information : The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.
- The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

# MAT SANS TENSION A L'HUILE CHAULEE SPECIAL PLAFONDS

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

| Full text of H- and EUH-statements:              |  |
|--|--|
| Acute Tox. 4<br>(Inhalation:dust,mist)           | Acute toxicity (inhalation:dust,mist) Category 4   |
| Acute Tox. Not classified<br>(Inhalation:vapour) | Acute toxicity (inhalation:vapour) Not classified  |
| Asp. Tox. 1                                      | Aspiration hazard, Category 1  |
| EUH066   | Repeated exposure may cause skin dryness or cracking.  |
| EUH210   | Safety data sheet available on request.  |
| EUH211   | Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. |
| Flam. Liq. 3                                     | Flammable liquids, Category 3  |
| H226   | Flammable liquid and vapour.   |
| H304   | May be fatal if swallowed and enters airways.  |
| H332   | Harmful if inhaled.  |
| H336   | May cause drowsiness or dizziness.   |
| STOT SE 3  | Specific target organ toxicity – Single exposure, Category 3, Narcosis                           |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.