# RESSOURCE

## IMPRESSION UNIVERSELLE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Issue date: 07.04.2017 Revision date: 07.10.2021 Supersedes version of: 07.10.2021 Version: 3.9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## **1.1. Product identifier**

Product form	: Mixture
Trade name	: IMPRESSION UNIVERSELLE
Product code	: 333ST
Type of product	: PAINT
Product group	: Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Industrial/Professional use spec Use of the substance/mixture

: For professional use only

: Suitable paint for interior walls, ceilings and woodwork.

#### 1.2.2. Uses advised against

No additional information available

### **1.3. Details of the supplier of the safety data sheet**

Manufacturer Ressource Rue de Mousselière FR– 30133 Les Angles FRANCE T +33(0)490254245 contact@ressource-decoration.com - www.ressource-peintures.com

### **1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
France	ORFILA		+33 1 45 42 59 59	This number provides contact details for all French Poison Control centers. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.
France	ORFILA		+33 1 45 42 59 59	This number provides contact details for all French Poison Control centers. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	8 [CLP]
Carcinogenicity Not classified Hazardous to the aquatic environment – Chronic Hazard,	H412
Category 3 Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmer	ntal effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Harmful to aquatic life with long lasting effects.

Labelling according to Regulation (EC) No. 1272/	2008 [CLP]
Signal word (CLP) Hazard statements (CLP) EUH-statements	<ul> <li>-</li> <li>H412 - Harmful to aquatic life with long lasting effects.</li> <li>EUH210 - Safety data sheet available on request.</li> <li>EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.</li> <li>EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9), 1,2-benzisothiazol-3(2H)-one(2634-33-5). May produce an allergic reaction.</li> </ul>
2.3. Other hazards	
Other hazards which do not result in classification	: The mixture contains no substances of very high concern (SVHC)>-0.1% published by the European Agency of chemical products (ECHA) according to article 57 of the REACH:http//echa.europa.eu/fr/candidate-list-table.

PBT: not relevant - no registration required

vPvB: not relevant - no registration required

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate	CAS-No.: 471-34-1 EC-No.: 207-439-9 REACH-no: 01-2119486795- 18	5 – 10	Acute Tox. 4 (Inhalation:dust,mist), H332
trizinc bis(orthophosphate)	CAS-No.: 7779-90-0 EC-No.: 231-944-3 EC Index-No.: 030-011-00-6 REACH-no: 01-2119485044- 40	0,8915 – 1,783	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
zinc oxide	CAS-No.: 1314-13-2 EC-No.: 215-222-5 EC Index-No.: 030-013-00-7 REACH-no: 01-2119463881- 32	< 0,3566	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	< 0,1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	< 0,001410423	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6	(0,05 ≤ C ≤ 100) Skin Sens. 1, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	$(0,0015 \le C \le 100)$ Skin Sens. 1A, H317 $(0,06 \le C < 0,6)$ Eye Irrit. 2, H319 $(0,06 \le C < 0,6)$ Skin Irrit. 2, H315 $(0,6 \le C \le 100)$ Eye Dam. 1, H318 $(0,6 \le C \le 100)$ Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Water spray, Dry powder, Foam, Carbon dioxide,	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

5.2. Special hazards arising from the substance or mixture		
Fire hazard	: On burning: release of carbon monoxide - carbon dioxide. In case of fire and/or explosion do not breathe fumes.	
Explosion hazard	: No direct explosion hazard.	
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Carbon monoxide. Carbon dioxide.	
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment. Liquid spill: take up in dry sand/earth/vermiculite.

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures Storage conditions Storage area Special rules on packaging	<ul> <li>Ensure adequate ventilation, especially in confined areas.</li> <li>Keep out of reach of children. Store in a well-ventilated place. Keep cool.</li> <li>Store away from heat.</li> <li>Keep only in original container.</li> </ul>
7.3. Specific end use(s)	

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Austria - Occupational Exposure Limits		
Local name	5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-on (Gemisch im Verhältnis 3:1)	
MAK (OEL TWA)	0,05 mg/m³	
Remark	Sh,H	
Calcium carbonate (471-34-1)		
France - Occupational Exposure Limits		
Local name	Calcium (carbonate de)	
VME (OEL TWA)	10 mg/m <sup>3</sup>	
Latvia - Occupational Exposure Limits		
Local name	Kalcijakarbonāts	
OEL TWA	6 mg/m³	
Poland - Occupational Exposure Limits		
Local name	Węglan wapnia pyły 10)	
NDS (OEL TWA)	10 mg/m <sup>3</sup>	
Portugal - Occupational Exposure Limits		
Local name	Carbonato de cálcio	
OEL TWA	10 mg/m <sup>3</sup>	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

In case of splash hazard: safety glasses. Gloves. Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: >8
Viscosity, kinematic	: Not available
Viscosity, dynamic	: 500 – 2000 cP
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1,35 (1,35 – 1,4) g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

VOC content

: ≤ 10 g/l valeur de COV du produit prêt à l'emploi

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

Keep out of frost.

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
reaction mass of 5-chloro-2-methyl-2H-isoth	niazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LD50 oral rat	64 mg/kg	
LD50 dermal rabbit	87,12 mg/kg	
LC50 Inhalation - Rat	0,33 mg/l/4h	
LC50 Inhalation - Rat (Dust/Mist)	0,33 mg/l/4h	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
LD50 oral rat	597 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
zinc oxide (1314-13-2)		
LD50 oral rat	7950 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	> 5,7 mg/l/4h	
trizinc bis(orthophosphate) (7779-90-0)		
LD50 oral rat	> 5000 mg/kg	
LC50 Inhalation - Rat	> 5,7 mg/l/4h	
Calcium carbonate (471-34-1)		
LD50 oral rat	6450 mg/kg	
LD50 dermal rat	> 2000 mg/kg (OECD 402)	
LC50 Inhalation - Rat	> 3 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	pH: > 8 : Not classified pH: > 8	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
LC50 - Fish [1]	0,19 mg/l 96 Hours (Oncorhynchus mykiss) (OECD 203 method)	
LC50 - Fish [2]	0,28 mg/l (96h) (Lepomis macrochirus)	
EC50 - Crustacea [1]	0,16 mg/l 48 Hours (Daphnia magma) (OECD 202 method)	
ErC50 algae	0,027 mg/l 48 Hours (Pseudokirchnerella subcapitata) (OECD 201 method)	
NOEC (acute)	0,0014 72 Hours (Skeletonema costatum) (OECD 201 method)	
NOEC chronic fish	0,05 mg/l 14 days (Oncorhynchus mykiss) (OECD 203 method)	
NOEC chronic crustacea	0,1 mg/l 21 days (Daphnia magma) (OECD 202 method)	
NOEC chronic algae	0,0014 mg/l	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
LC50 - Fish [1]	0,74 mg/l 96 Hours (Oncorhynchus mykiss)	
EC50 - Crustacea [1]	1,9 mg/l 96 Hours (Mysidopsis bahia)	
EC50 - Crustacea [2]	1,5 mg/l 48 heures (Daphnia magma)	
ErC50 algae	0,11 mg/l 72 Hours (Pseudokirchnerella subcapitata)	
NOEC (acute)	0,15 mg/l 48 Hours (Scenedesmus acutus)	
zinc oxide (1314-13-2)		
LC50 - Fish [1]	0,14 mg/l (96 h) (Onchorhyncus mykiss) (OECD 203)	
EC50 - Crustacea [1]	0,17 mg/l (48 h) (Daphnia magna) (OECD 202)	
ErC50 algae	0,63 mg/l (72h) (Pseudokirchneriella subcapitata)	

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

12.5. Results of PBT and vPvB assessment	
IMPRESSION UNIVERSELLE	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	
12.6. Endocrine disrupting properties	
No additional information available	

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Sewage disposal recommendations Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Disposal must be done according to official regulations.</li> <li>Avoid release to the environment. Discharging into rivers and drains is forbidden. Completely empty the packaging prior to decontamination. Comply with applicable</li> </ul>	
European List of Waste (LoW, EC 2000/532) R/D code (Recovery/Disposal, EU 2008/98)	<ul> <li>regulations for solid waste disposal.</li> <li>08 01 12 - waste paint and varnish other than those mentioned in 08 01 11</li> <li>R1 - Use principally as a fuel or other means to generate energy</li> </ul>	

## **SECTION 14: Transport information**

ADR	IMDG
14.1. UN number or ID number	
Not applicable	Not applicable
I4.2. UN proper shipping name	
Not applicable	Not applicable
14.3. Transport hazard class(es)	
Not applicable	Not applicable
14.4. Packing group	
Not applicable	Not applicable
14.5. Environmental hazards	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No
No supplementary information available	

**14.6. Special precautions for user** 

### **Overland transport**

No data available

### Transport by sea

No data available

14.7. Maritime transport in bulk according to IMO instruments

## Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(c)	IMPRESSION UNIVERSELLE

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content

: ≤ 10 g/l valeur de COV du produit prêt à l'emploi

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### France

Other information, restrictions and prohibition	: Classification according to directives 67/548/EEC and 1999/45/EC
regulations	VOC Directive 2004/42/EC - Decorative paints and varnishes
	Labelling of building products or products used for wall or floor coatings and paints and
	varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)
	Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Occupational diseases	
Code	Description
RG 25	Diseases resulting from the inhalation of mineral dust containing crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc), graphite or coal.
RG 65	Eczematiform lesions of allergic mechanism
RG 66	Occupational rhinitis and asthma

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject of the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding	<ul><li>None of the components are listed</li><li>None of the components are listed</li><li>None of the components are listed</li></ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes version of	Modified	

Abbreviations and acronyms:	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic

## Safety Data Sheet

Data sources

Training advice

Other information

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Abbreviations and acronyms:	
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

: Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Normal use of this product shall imply use in accordance with the instructions on the packaging.

: The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

Full text of H- and EUH-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9), 1,2-benzisothiazol-3(2H)-one(2634-33-5). May produce an allergic reaction.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Full text of H- and EUH-statements:	
EUH210	Safety data sheet available on request.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.