RESSOURCE ENDUIT ROMAIN

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 19/09/2017 Revision date: 17/07/2025 Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : ENDUIT ROMAIN

Product code : 313ST

Type of product : PAINT

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use, Consumer use Industrial/Professional use spec : For professional use only Use of the substance/mixture : Apply paint on all interior support

1.3. Details of the supplier of the safety data sheet

Manufacturer

Ressource Rue de Mousselière FR 30133 Les Angles FRANCE T +33(0)490254245

contact@ressource-decoration.com, www.ressource-peintures.com

1.4. Emergency telephone number

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|--------------|----------------------|---------|-------------------|---|
| France | ORFILA | | +33 1 45 42 59 59 | This number automatically directs calls to the nearest poison control center, based on the caller's location. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week. |
| France | ORFILA | | +33 1 45 42 59 59 | This number automatically directs calls to the nearest poison control center, based on the caller's location. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS05

Signal word (CLP) : Danger

Contains : Calcium dihydroxide

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

EUH-statements : EUH210 - Safety data sheet available on request.

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9), 2-methyl-2H-isothiazol-3-one(2682-20-4), 1,2-

benzisothiazol-3(2H)-one(2634-33-5). May produce an allergic reaction.

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|----------------------------------|---|--------------|---|
| Calcium dihydroxide | CAS-No.: 1305-62-0 EC-No.: 215-137-3 REACH-no: 01-2119475151- 45 | 10 – 20 | Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 |
| (Z)-9-Octadecen-1-ol ethoxylated | CAS-No.: 9004-98-2 EC-No.: 500-016-2 | 0,285 – 0,57 | Skin Irrit. 2, H315 Aquatic Acute 1, H400 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|--------------|--|
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | 0,015 - 0,03 | Acute Tox. 2 (Inhalation:dust,mist), H330 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48 | < 0,1 | Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) |
| 2-methyl-2H-isothiazol-3-one | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 | < 0,1 | Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 |

| Specific concentration limits: | | | | |
|---|---|--|--|--|
| Name | Product identifier | Specific concentration limits (%) | | |
| 1,2-benzisothiazol-3(2H)-one | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | (0,036 ≤ C ≤ 100) Skin Sens. 1A; H317 | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48 | $(0,0015 \le C \le 100)$ Skin Sens. 1A; H317 $(0,06 \le C < 0,6)$ Eye Irrit. 2; H319 $(0,06 \le C < 0,6)$ Skin Irrit. 2; H315 $(0,6 \le C \le 100)$ Eye Dam. 1; H318 $(0,6 \le C \le 100)$ Skin Corr. 1C; H314 | | |
| 2-methyl-2H-isothiazol-3-one | CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-00-9 | (0,0015 ≤ C ≤ 100) Skin Sens. 1A; H317 | | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general
First-aid measures after inhalation
First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures after ingestion

Self protection of the first-aider

: In all cases of doubt, or when symptoms persist, seek medical attention.

: Remove person to fresh air and keep comfortable for breathing.

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

: Rinse mouth with water, do not induce vomiting, call a doctor. Call a poison center or a

doctor if you feel unwell.

: First aid workers will be equipped with suitable personal protective equipment.

17/07/2025 (Revision date) EN (English) 3/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : Decomposes on exposure to temperature rise: release of highly flammable gases/vapours

hydrogen carbon monoxide - carbon dioxide.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : High temperature decomposition products are harmful by inhalation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Prevent from entering sewers, basements and workpits, or any place where its

accumulation can be dangerous. Stop release. Evacuate unnecessary personnel. Stop leak

if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Take up liquid spill into absorbent material, e.g.: powdered limestone or sand, earth, vermiculite.

6.3. Methods and material for containment and cleaning up

For containment : Contain large spillage with sand or earth. Collect spillage. Using a clean shovel, put the

material in a dry container and cover without compressing it. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if

possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

17/07/2025 (Revision date) EN (English) 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Keep out of frost.

Storage conditions

: Keep out of reach of children.

Storage area

: Store away from heat. Store in a well-ventilated place.

Special rules on packaging

: Keep only in original container. Store in a closed container.

Packaging materials

: Do not store in corrodable metal. Store always product in container of same material as

original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | |
|--|------------|--|
| Austria - Occupational Exposure Limits | | |
| Local name 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-di-hydroisothiazol-3-or (Gemisch im Verhältnis 3:1) | | |
| MAK (OEL TWA) | 0,05 mg/m³ | |
| Remark | Sh,H | |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Protective clothing. Safety glasses. Gloves. Safety footwear.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Penetration time of glove material: The average penetration time of the various materials when used with this product is unknown

Other skin protection

Materials for protective clothing:

Grossly contaminated clothing should be removed and the skin washed with soap and water or a proprietary skin cleaner

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Do not flush into surface water or sewer system. Avoid release to the environment.

Other information:

The present safety data sheet is consistent with the specific conditions relied on to justify the registration of the substance in accordance with Article 17 or 18 of the REACH regulation. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : white. Appearance : Viscous. Odour : Not available Odour threshold : Not available Melting point : Not applicable : Not available Freezing point : Not available Boiling point : Non flammable. Flammability Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available : Not available Decomposition temperature ≥ 10 – ≤ 12 рΗ

Viscosity, kinematic : 1089,325 – 4357,298 mm²/s

Viscosity, dynamic 2000 - 8000 cP Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : 1,836 g/cm³ Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : < 15 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

LD50 dermal rabbit

Skin corrosion/irritation

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| reaction to receive (in management) | ,, | | | |
|---|--|--|--|--|
| (Z)-9-Octadecen-1-ol ethoxylated (9004-98-2) | | | | |
| LD50 oral rat | > 2000 mg/kg | | | |
| Calcium dihydroxide (1305-62-0) | | | | |
| LD50 oral rat | > 2000 mg/kg Test OCDE Directive 425 | | | |
| LD50 dermal rabbit | > 2000 mg/kg Directive OCDE 402 | | | |
| reaction mass of 5-chloro-2-methyl-2H-isothia | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | |
| LD50 oral rat | 105 mg/kg Source: US EPA | | | |
| LD50 dermal rabbit | 200 mg/kg Source: US EPA | | | |
| LC50 Inhalation - Rat (Dust/Mist) | 0,33 mg/l Source: US EPA | | | |
| 2-methyl-2H-isothiazol-3-one (2682-20-4) | | | | |
| LD50 oral rat | 200 mg/kg | | | |
| LD50 dermal rat | 400 mg/kg | | | |
| LC50 Inhalation - Rat (Dust/Mist) | 0,53 mg/l/4h | | | |
| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | | | | |
| LD50 oral rat | 597 mg/kg | | | |
| LD50 dermal rat | > 2000 mg/kg | | | |

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | |
|--|----|---|
| | рН | 3,43 Temp.: 20 °C Concentration: 10 g/L |

Serious eye damage/irritation : Causes serious eye damage.

pH: ≥ 10 - ≤ 12

> 5000 mg/kg

Causes skin irritation.

pH: $\ge 10 - \le 12$

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | | |
|--|--|--|--|--|
| рН | 3,43 Temp.: 20 °C Concentration: 10 g/L | | | |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) | | | |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) | | | |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) | | | |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) | | | |
| STOT-single exposure | : Not classified (Based on available data, the classification criteria are not met) | | | |
| Calcium dihydroxide (1305-62-0) | | | | |
| STOT-single exposure | May cause respiratory irritation. | | | |
| STOT-repeated exposure | : Not classified (Based on available data, the classification criteria are not met) | | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | | |
| LOAEL (dermal, rat/rabbit, 90 days) | 0,525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) | | | |
| Aspiration hazard | : Not classified (Based on available data, the classification criteria are not met) | | | |
| ENDUIT ROMAIN | | | | |
| Viscosity, kinematic | 1089,325 – 4357,298 mm²/s | | | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

| - | _ | - | _ | | | | | |
|---|----|---|---|---------------|----|---|----|---|
| Я | 2. | 4 | | $\overline{}$ | VI | | 41 | 7 |
| • | 4 | • | - | u | ΛI | U | u | |
| | | | | | | | | |

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified (Based on available data, the classification criteria are not met)

| (chronic) | | | | |
|--|--|--|--|--|
| (Z)-9-Octadecen-1-ol ethoxylated (9004-98-2) | | | | |
| LC50 - Fish [1] | 1,3 mg/l (96h) (Danio rerio) (OECD 203) | | | |
| Calcium dihydroxide (1305-62-0) | | | | |
| LC50 - Fish [1] | 50,6 mg/l poissons dulcaquicoles | | | |
| LC50 - Fish [2] | 457 mg/l poisson marin | | | |
| EC50 - Crustacea [1] | 49,1 mg/l (48h) | | | |
| EC50 - Crustacea [2] | 158 mg/l (96h) | | | |
| EC50 72h - Algae [1] | 184,57 mg/l | | | |
| EC50 72h - Algae [2] | 48 mg/l | | | |
| ErC50 algae | 184,57 mg/l (72h) | | | |
| NOEC (acute) | 48 mg/l (72h) | | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | | |
| LC50 - Fish [1] | 0,19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) | | | |
| LC50 - Fish [2] | 0,28 mg/l Test organisms (species): Lepomis macrochirus | | | |
| EC50 - Crustacea [1] | 0,16 mg/l Test organisms (species): Daphnia magna | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | | |
|--|--|--|--|--|
| EC50 72h - Algae [1] | 0,048 mg/l | | | |
| ErC50 algae | 0,037 mg/l Selenastrum capricornutum | | | |
| NOEC (acute) | 0,0014 72 Hours (Skeletonema costatum) (OECD 201 method) | | | |
| NOEC (chronic) | 0,1 mg/l Test organisms (species): Daphnia magna Duration: '21 d' | | | |
| NOEC chronic fish | 0,0464 mg/l Danio rerio | | | |
| NOEC chronic crustacea | 0,1 mg/l 21 days (Daphnia magma) (OECD 202 method) | | | |
| NOEC chronic algae | 0,0014 mg/l | | | |
| 2-methyl-2H-isothiazol-3-one (2682-20-4) | | | | |
| LC50 - Fish [1] | 4,77 mg/l (96h) (Oncorhynchus mykiss) | | | |
| EC50 - Crustacea [1] | 0,93 mg/l (48h) (Daphnia magna) | | | |
| ErC50 algae | 0,157 mg/l 72 heures (Pseudokirchneriella subcapitata) (OCDE 201) | | | |
| NOEC (acute) | 0,03 mg/l (72 heures) (Pseudokirchneriella subcapitata) (OCDE 201) | | | |
| NOEC (chronic) | 0,55 mg/l (21 jours) (Daphnia magna) (OCDE 211) | | | |
| NOEC chronic fish | 2,38 mg/l (28 jours) (Pimephales promelas) (OCDE 210) | | | |
| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | | | | |
| LC50 - Fish [1] | 0,74 mg/l 96 Hours (Oncorhynchus mykiss) | | | |
| EC50 - Crustacea [1] | 1,9 mg/l 96 Hours (Mysidopsis bahia) | | | |
| EC50 - Crustacea [2] | 1,5 mg/l 48 heures (Daphnia magma) | | | |
| ErC50 algae | 0,11 mg/l 72 Hours (Pseudokirchnerella subcapitata) | | | |
| NOEC (acute) | 0,15 mg/l 48 Hours (Scenedesmus acutus) | | | |

12.2. Persistence and degradability

| ENDUIT ROMAIN | | | | |
|--|--------------------|--|--|--|
| Persistence and degradability | Rapidly degradable | | | |
| (Z)-9-Octadecen-1-ol ethoxylated (9004-98-2) | | | | |
| Persistence and degradability | Rapidly degradable | | | |
| Calcium dihydroxide (1305-62-0) | | | | |
| Persistence and degradability | Rapidly degradable | | | |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) | | | | |
| Persistence and degradability | Rapidly degradable | | | |
| 2-methyl-2H-isothiazol-3-one (2682-20-4) | | | | |
| Persistence and degradability | Rapidly degradable | | | |
| 1,2-benzisothiazol-3(2H)-one (2634-33-5) | | | | |
| Persistence and degradability | Rapidly degradable | | | |

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Mobility in soil 12,08 Source: EPISUITE

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW, EC 2000/532) R/D code (Recovery/Disposal, EU 2008/98) : Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Do not discharge into drains or the environment. Disposal must be done according to official regulations.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Clean with water. Do not

dispose of the packaging without first carrying out the necessary cleaning. Disposal must be done according to official regulations.

: Do not re-use empty containers.

: 20 01 39 - plastics

: D15 - Storage pending any of the operations numbered D 1 to D 14 (excluding temporary

storage, pending collection, on the site where the waste is produced)

SECTION 14: Transport information

In accordance with

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No supplementary information available

17/07/2025 (Revision date) EN (English) 10/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | |
|--|---|
| Reference code | Applicable on |
| 3(b) | ENDUIT ROMAIN; (Z)-9-Octadecen-1-ol ethoxylated |
| 3(c) | (Z)-9-Octadecen-1-ol ethoxylated |

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : < 15 g/l

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Other information, restrictions and prohibition regulations

: VOC Directive 2004/42/EC - Decorative paints and varnishes Labelling according to Regulation (EC) No. 1272/2008 [CLP] Classification according to directives 67/548/EEC and 1999/45/EC

Labelling of building products or products used for wall or floor coatings and paints and varnishes concerning their emissions of volatile pollutants (Order of 19 April 2011)

| Occupational diseases | |
|-----------------------|--|
| Code | Description |
| RG 65 | Eczematiform lesions of allergic mechanism |
| RG 66 | Occupational rhinitis and asthma |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

VOC content : < 15 g/l

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | |
|-----------------------|--------------------------------------|----------|
| Section | Changed item | Comments |
| | Transport document description (ADR) | |

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| N.O.S. | Not Otherwise Specified |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| OSHA | Occupational Safety Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | |
|-----------------------------|--|
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| UFI | Unique Formula Identifier |

Data sources

Training advice

Other information

- Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Normal use of this product shall imply use in accordance with the instructions on the packaging.
- The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

The working conditions of the user are not known to us, the information provided in this safety data sheet are based on the State of our knowledge and on both national and Community regulations. The mixture should not be used for other uses as those specified in section 1 without first obtaining prior written handling instructions. It is always the responsibility of the user to take all the necessary measures to meet the requirements of the laws and local regulations. The information provided in this safety data sheet should be considered a description of the safety requirements to this mixture and not as a guarantee of the properties of it.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 2 (Dermal) | Acute toxicity (dermal), Category 2 |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2 |
| Acute Tox. 2 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 2 |
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1A | Skin sensitisation, category 1A |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH208 | Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9), 2-methyl-2H-isothiazol-3-one(2682-20-4), 1,2-benzisothiazol-3(2H)-one(2634-33-5). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.